

Client: Simms Research

Certified: 07/17/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Klow	Form	Lyophilized Powder
Batch	2026-KW189	Labeled Qty	80 mg
Cap Color	Black	Crimp Color	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Blend Avg Purity	(>98%)	99.647%
Blend Avg Net Content	(~80mg)	87.35 mg
Blend Identification (LC-MS)	(Klow)	Klow
Endotoxin Safety Screen	(≤0.5 EU/mL)	Pass
Fentanyl Presence Analysis	(Not Detected)	Not Detected
Microbial Sterility Screen	(No Growth)	No Growth

BATCH CONFORMITY RESULTS

Vial	Blend Purity (%)	Blend Net Content (mg)
Vial 1	99.452	88.15
Vial 2	99.873	86.68
Vial 3	99.615	87.22
Batch Average	99.647	87.35

BLEND COMPONENT ANALYSIS

Component	Labeled	Measured
GHK-Cu	50 mg	55.84 mg
KPV	10 mg	10.32 mg
BPC-157	10 mg	11.17 mg
TB-500	10 mg	10.82 mg

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	
Cadmium (Cd)	Negative	
Lead (Pb)	Negative	
Mercury (Hg)	Negative	

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm

